

Administration of
Dadra and Nagar Haveli (UT)
Department of Fire & Emergency Services,
Silvassa - 396 230.

No. DFES/DNH/TTL/506/ADFO/2018

Dated: 28-08-2018.

- Read:** 1. Global e-tender No. DFES/DNH/HTTL-Ge-Tender/2018/349 dated 04-06-2018.
2. Corrigendum No. DFES/DNH/GT-HTTL /2018-19/422 dated 17-07-2018.

C O R R I G E N D U M No.02
(Tender id No.2018_UTDNH_2679_1)

In partial modification to the Global e-tender for supply of Hydraulic Turn Table Ladder Platform mounted on suitable appliance of 42 meters height quoted at preamble above, may please be read as under:

1. Revised Schedule for Tendering:

Sr. No.	Particular	Earlier published date & time	Revised date & time
1.	Last date of Downloading of Tender Documents	30-08-2018 upto 1500 hrs.	25-09-2018 upto 1500 hrs.
2.	Last date of submission of tender Technical as well as Price bid offer.	30-08-2018 upto 1500 hrs.	25-09-2018 upto 1500 hrs.
3.	Scanned Copies of Tender Fee, EMD and Technical Bid with all the relevant documents, should be uploaded on e-tendering portal. (excluding Price Bid).	On or before 30-08-2018 up to 1500 hrs.	On or before 25-09-2018 up to 1500 hrs.
4.	Hard Copy submission of Original Tender Fee, EMD and Technical Bid with all the relevant documents. (excluding Price Bid).	On or before 30-08-2018 up to 1500 hrs.	On or before 25-09-2018 up to 1500 hrs.
5.	Verification of Tender Fee and EMD.	30-08-2018 after 1515 hrs.	25-09-2018 after 1515 hrs.
6.	Date of opening tender for Technical Bid online/physical.	30-08-2018 after 1530 hrs.	25-09-2018 after 1530 hrs.

2. Commercial and Technical points:

Sr. No.	Tender Clause/page No.	Description as per tender document	Amendment Request	Reply
COMMERCIAL POINTS				
01.	6.7 of Section - I (Page 7)	The EMD will be returned promptly to the unsuccessful bidders as possible after the expiration of the period of bid validity prescribed by the purchaser	Unsuccessful bidders EMD should be returned immediately after of award of the contract.	Accepted The EMD will be return immediately to unsuccessful bidders as possible after the awarded/ finalized of contract.




02.	12.1.9 of Section - I & Point (iii) of Section- III (Page 7)	The tenderer should have supplied minimum 10 Turn Table Ladder out of which min 02 are of 42 m height or more height to various Fire & Emergency Services during last five years anywhere in the world. Copy of work orders should be submitted along with offer	We request you to amend the same to read as "The tenderer should have supplied minimum 10 Turn Table Ladder out of which min 02 are of 42 m height or more height to various Fire & Emergency Services during last five years anywhere in the world. List of work orders should be submitted along with offer".	Accepted The list of work orders should be notarized by the representative authorized of the country of origin.
TECHNICAL POINTS				
03.	1.3 of Section - IV (Page32)	The entire unit of Turn-Table shall be mounted on a any chassis Heavy Duty powerful Diesel - Engine capacity minimum 325 HP or more, 6 x 4 having approx. 5200 mm wheel Base with fully factory built cabin and suitable capacity PTO of IVECO / VOLVO / MERCEDES ENZ / MAN make. The Vehicle Chassis shall conform to BS IV (EURO IV) emission norms. Right Hand drive	The mentioned H.P. of engine seems to be a typographical mistake. Point No. 1.8, 2.1 and 2.5 states minimum 300 H.P. We request you to kindly amend the same as minimum 300 H.P.	Accepted The clause 1.3 of section -IV may please be read as minimum 300 H.P. in the current tender.
04.	1.5 of Section - IV (Page32)	The Bidder must have a previous supply record in India. The bidder has to submit the satisfactory certificate of Indian end user.	Kindly allow us to submit satisfactory certificate all over the world	Not accepted
05.	3.9 of Section - IV (Page 34)	Loading capacity of lifting eye under the cage (cage empty)	This point should be changed as "Loading capacity of lifting eye under the cage (cage empty) under the first ladder section shall be minimum 2000kgs.	Accepted. Loading capacity of the lifting eye under the first ladder section shall be minimum 2000 kgs.
06.	8.7 & 8.7.6 of Section - IV (Page 38)	The jacking system shall be controlled by two separate control panel provided on left and right side of the vehicle at rear end with the following controls. Manual operation for leveling turntable.	This point should be changed as "Manual operation for leveling turntable shall be controlled by levers on the control panel or separately at the rear of the Vehicle".	Accepted
07.	10.8.9 under 10.16 of Section- IV (Page 39)	Button for vertical and Horizontal ladder operation.	This point should be changed as "Button/Joystick for vertical and Horizontal ladder operation".	Accepted Button/Joystick for vertical and Horizontal ladder operation.
08.	17.3 of Section- IV (Page 39)	The monitor shall be moveable upward, downward, horizontally and vertically, can be moved vertically upward and downward up to -15° to + 60°. The horizontal movement of minimum 15° left side and right side.	We request you to amend the movement of the angle as -15 (+/-5 degrees) to +60 (+/-5 degrees).	Accepted

118 Q

09.	27.6 and 27.7 of Section-IV (Page 44)	<p>The manufacturer has to submit an undertaking in this regard along with the Technical Bid.</p> <p>The manufacturer will provide training for a week to the operational staff of the fire brigade on the operation and maintenance of the Turntable Ladder at delivery site of the ladder anywhere in Administrative of DNH</p>	<p>3. Do we have to submit an undertaking that, the successful tendered shall supply free of cost all the tools and accessories required for the training.</p> <p>4. Kindly clarify if this a separate training to be conducted other than training that would be given as per clause no.27.1</p> <p>// Sub Clause No.27.1: It is mentioned in clause no.27.1 that, manufacturer's service engineer shall undertake the training for a week(fulltime) in the operation, repairs, maintenance, servicing etc. Of the Turn Table Ladder Platform including all systems shall be imparted to operational staff/officers at the Fire & Emergency Services, DNH, Silvassa</p> <p>//</p>	<p>(i) Yes, at initial stage of supply & commissioning of equipments/ TTL.</p> <p>(ii) Yes, as specified in clause 27.3</p> <p>(iii) The clause 27.7 may be deleted from the current tender.</p>
10.	30.3 of Section-IV (Page 45)	RTO registration shall be responsibility of the authorize agency/ distributor of manufacturer.	Cost of registration will be calculated by the Regional Transport Officer depending upon the landed cost or on the invoice value. Therefore, our authorized service partner in India M/s. Anlon Technology Solution Private Limited will assist and coordinate with the RTO department, but the cost of registration and provision of statutory documents for the same are in scope of Department Fire and Emergency services, DNH, Silvassa.	Not acceptable
11.	32.6 of Section-IV (Page 45)	Vendor shall submit the probable schedule of stage wise inspection well in advance. The Goods will be delivered only after Final stage inspection is completed and acceptance	We understand that inspection will be carried out by a team of 4 members. Kindly confirm the same, as we have to factor in the cost in our bid.	Please read clause 32.3 of section -IV and only final stage inspection will be carried out subject to acceptance.
12.	35.3 of Section-IV (Page 46)	All the insurance policies shall be in the name of Director of Fire & Emergency Services or any other Purchaser the case may be, Insurance claims, if any should be settled by the Vendor.	The insurance policies will be in name of the supplier i.e. Rosenbaur and also will depend upon delivery terms.	Not acceptable
13.	36.1 of Section-IV (Page 46)	A complete set of any necessary special tools, in completely new and unused conditions, shall be supplied by the Contractor to enable any erection,	2. Can we please known the list of special tools required and the same will be quoted	Standard tools may please be read in the current tender.

109

		dismantling or testing to be carried out any part of the plant whether of an electrical, mechanical or other nature. These tools shall be as described in the Scheduled of Tools.	accordingly.	
14.	Annexure - V (Page 57)	Indemnity Bond	<ol style="list-style-type: none"> Judicial stamp papers are not available in our country. Therefore, can this bond be printed on a stamp paper purchased by our authorized service partners in India. Also confirm that, if this bond can be submitted after receipt of order. 	Authorized Indian agent will be sign the Indemnity Bond on behalf of OEM.
15.	Annexure- VI (Page 58)	Undertaking Cum Indemnity Bond	Judicial stamp papers are not available in our country. Therefore, can this bond be printed on a stamp paper purchased by our authorized service partner in India.	Authorized Indian agent will be sign the undertaking-cum-Indemnity Bond on behalf of OEM.
16.	Annexure- XIII (Page 66)	Schedule of Spare Parts	This annexure requires bidders to mention the price and to be uploaded along with the technical bid documents. There is no provision to upload this annexure along with the price bid. As mentioning price information in the technical bid is a violation of tender conditions, kindly let us know the method of submission of this document.	There is no need to upload the Annexure-XIII in price bid. However, the schedule of the spares parts with cost shall be shown in Annexure-XIII separately.
17.	Annexure- XIV (Page 67)	Schedule of Tools	This annexure requires bidders to mention the price and to be uploaded along with the technical bid documents. There is no provision to upload this annexure along with price bid. As mentioning price information in the technical bid is a violation of tender conditions, kindly let us know the method of submission of this document.	The list of tools necessary for maintenance of TTL for a period of 02 years. The cost of tools shall be carry forward to the schedule of price.
18.	Annexure XVIII (Page 71-93)	The bidder needs to submit clause wise commentary as per the technical specification giving description of its product against all parameters and also indicate where the deviations lie and where it is exceeding specifications at Annexure - XVIII. Merely, writing as per requirement or complied is not acceptable	We will submit a detailed technical specification along with the technical bid documents. Can we please mention the reference to the above mentioned document in this annexure or mention "COMPLIED"	Not acceptable Bidder needs to submit clause wise commentary as per technical specification in Annexure - XVIII.
19.	Sr. No. 04. Schedule A Technical Bid (Page	The offered model vehicle shall meet relevant safety standards applicable to Turn Table Ladder Platform as stipulated in	EN certificate will always be given after complete inspection of machine, post manufacturing. We shall give	Accepted The undertaking will be accepted subject to offered



	94)	<p>EN 14043. Type test certificate issued by the testing agency or the manufacturer shall be submitted with the tender.</p> <p>Page no.11, Clause no.12.15.8: The offered model vehicle shall meet relevant safety standards applicable to Turn Table Ladder Platform as stipulated in EN 14043. Type test certificate issued by the testing agency or the manufacture shall be submitted with the tender.</p>	<p>an undertaking that, we are a manufacture approved to make Aerial Rescue Devices as per relevant EN standards. Kindly be advised that, EN certificate is specific to the machine manufactured and can only be validated after conducting the tests on the manufactured equipment.</p>	<p>model shall meet relevant safety standards applicable to Turn Table Ladder Platform as stipulated in EN 14043 and Declaration of conformity issued by the testing agency shall be submitted before inspection authority at the time of final inspection.</p>
20.	Sr. No. 04. Schedule A Technical Bid (Page 95)	Details of manufacture and the country of origin.	Certificate of Country. of Origin will be submitted during the delivery of Vehicle. Please accept the same.	Not acceptable
21.	1.3 of Section IV, (Page32)	<p>The entire unit of Turn-Table shall be mounted on a any chassis Heavy Duty powerful Diesel - Engine capacity minimum 325 HP or more , 6 x 4 having approx. 5200 mm wheel Base with fully factory built cabin and suitable capacity PTO of IVECO / VOLVO / MERCEDES BENZ/ MAN make. The Vehicle Chassis shall confirm to BS IV (EURO IV) emission norms. Right Hand drive.</p>	<p>Please allow us to build the TTL on a MAN TGM 18.340 4x2 chassis, wheelbase approx. 4725mm with fully factory built cabin. Our design on a MAN TGM 18.340 4x2 chassis, wheelbase approx. 4725mm are for trucks to be compact in size to suit all types of road conditions and also gives better performance.</p>	<p>Accepted</p> <p>Ministry of Road Transport & Highways (Transport Division) issued a letter vide No. RT11028/11/2017-MVL dated 07/08/2018, the revision of maximum permissible safe axle weight (GVW) for different configurations of the axle as specified in Annexure 'B'. As per above letter dated 07/08/2018, the maximum Gross Vehicle Weight (GVW) is permissible 18.5 tons for 4x2 chassis as specified at Sr. No.01. in Annexure - B.</p> <p>Therefore, the clause 1.3 & 2.1 of section - IV may please be read in the current Tender as "The entire unit of Turn Table Ladder shall be mounted on a 4x2/6x4 chassis with heavy duty powerful Diesel-Engine Capacity of minimum 300 HP or more, having wheel base within range (4500 mm - 6000 mm) with fully factory built cabin and suitable capacity of PTO of IVECO/VOLVO/MERCEDES BENZ/ MAN make Tight Hand Drive."</p>

12.9

22.	Sr. No. 34.4 Spare parts (Page 45)	All the tools, consumable etc. Required for the servicing of the vehicle shall be arranged by the contractor.	Kindly let us know the approximate no. of hours you are planning to use the machine. Because, consumables replacement is done depending upon no. of hours of usage of vehicle.	Use of the vehicle, depends upon the situation of Emergency.
23.	Annexure- IV (Page 53)	ANNEXURE IV Form of Bank Guarantee (Unconditional) 1 F or Performance Security (Initial & Additional Security Deposit)	We have checked with State Bank of India. The below clause will be inserted while issuing this bank guarantee: //In any case not later than _____(Expiry date). NOWWITHSTANDING ANYTHING CONTAINED HEREINABOVE 1.OUR LIABILITY UNDER THIS BANK GUARANTEE SHALL NOT EXCEED....." 2.THIS BANK GUARANTEE SHALL BE VALID UPTO....., 3.WE ARE LIABLE TO PAY THE GUARANTEE AMOUNT OR ANY PART THEREOF UNDER THIS BANK GUARANTEE ONLY AND ON LY IF YOUR SERVE UPON US A CLAM OR DEMAND ON OR BEFORE..... This guarantee will be governed and construed in accordance with India. //	Not acceptable However, please read this Guarantee (security deposit) is valid until the Forty (40) months after the date of issuing the purchase order instead of twenty four (24) months.
24.	Annexure- IVA (Page 55)	ANNEXURE IVA1 Form of Bank Guarantee (Unconditional) 2 F or Performance Security (Initial & Additional Security Deposit)	We have checked with State Bank Of India. The below clause will be inserted while issuing this bank guarantee: // Inserted: In any case not later than _____(Expiry date). Deleted: We hereby affirm that we are aware of the stipulation for acceptance of our guarantee by Department of Fire & Emergency Services, DNH that the said Employer will be for all matters. We unequivocally surrender our rights to be informed / advised give notice in respect thereof in favour of the said branch of our bank in consideration of the aforesaid terms and conditions incorporated in this guarantee, we agree that for all the operative part and enforceability in the court of law. This guarantee shall be deemed to have issued by the said branch of our bank	Not Acceptable. However, please read this Guarantee (security deposit) is valid until the Forty (40) months after the date of issuing the purchase order instead of twenty four (24) months.

120 Q

			<p>Inserted: NOTWITHSTANDING ANYTHING CONTAINED HEREINABOVE 1.OUR LIABILITY UNDER THIS BANK GUARANTEE SHALL NOT EXCEED.... 2.THIS BANK GUARANTEE SHALL BE VALID UPTO....., 3.WE ARE LIABLE TO PAY THE GUARANTEE AMOUNT OR ANY PART THEREOF UNDER THIS BANK GUARANTEE ONLY AND ON LY IF YOUR SERVE UPON US A CLAIM OR DEMAND ON OR BEFORE....</p>	
--	--	--	--	--

Other contents of the Tender/technical specification will remain unchanged.

For and on Behalf of Director,
Fire & Emergency Services, DNH.

 28/8/18

Tender Inviting Officer,

Date: 28/08/2018

Place: DNH.

Copy to:-

1. PA to DIGP/Director of Fire & Emergency Services, DNH, Silvassa.
2. The Director, Information Technology, DNH, Silvassa for Publishing on website www.dnh.nic.in for wide publicity.
3. All Head of Office, DNH.
4. Office copy.